Web   Images   Video   News   Maps   Gmail   more ▾   Sign in

Google

| determining if an attribute of a second image p   Search | Advanced Search
                                                              Preferences

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web Results **1 - 10** of about **22** for <u>determining</u> if <u>an</u> <u>attribute</u> of a <u>second</u> <u>image</u> <u>pixel</u> <u>is</u> <u>defined</u> by <u>one</u> of the <u>pixel</u> <u>cor</u>

David Woodsmall - PC/SAN/NAS/NETWORK/PHARMA/WIN/WIRELESS/QA/LINUX ...
A set of related **components** installed into MTS that are **defined** and used together .... Pel -
Pixel PEP - Packet Exchange Protocol, provides a semi-reliable ...
home.nc.rr.com/woodsmall/acron.htm - 667k - Cached - Similar pages

DoD SBIR FY97.2 - SOLICITATION SELECTIONS w/ ABSTRACTS
The **second component**, the annotated database, computes plans which the plan mining
tool access ...... would produce a real-time 10 by 10 or 100-**pixel image**. ...
www.dodsbir.net/selections/alld972.htm - 803k - Cached - Similar pages

infobot-0.44.3 000755 016744 000017 00000000000 07005370042 014056 ...
File Format: Unrecognized
The SRC **attribute** identifies a graphic **image** to be used as a bullet. ..... Bit depth => How
many bits it takes to represent the color in **one pixel**. ...
www.infobot.org/src/prior/infobot-current - Similar pages

[PDF] NA= A Ames Research Center
File Format: PDF/Adobe Acrobat - View as HTML
the plan **components** for relevance and use them **if** appropriate. ..... predict the
corresponding observed **pixel** intensity (to **some** noise level). ...
ntrs.nasa.gov/archive/nasa/casi.ntrs.nasa.gov/19940023562_1994023562.pdf -
Similar pages

-*-BibTeX ...
Several algorithms for **determining** the number of **components** in the graph ......
coefficients of all objects is calculated and stored for each **pixel**. ...
elib.cs.sfu.ca/Collections/CMPT/MajorBibs/beebe-bib/hash.bib - Similar pages

[PDF] Proceedings **First** European Conference for Information Technology ...
File Format: PDF/Adobe Acrobat
Once plant **pixels** were recognised, the position of crop rows could be ...... developed for
six common vegetable crops, whereas the **other components** are at ...
www.dina.dk/efita-conf/program/efita97_proceedings.pdf - Similar pages

[PDF] iSeries Guide to Output
File Format: PDF/Adobe Acrobat
a **first** level folder. **If created** in the **second** level or greater, the ...... scanned into the
Image Editor **component** of Infoprint Designer. Most **image** ...
publib.boulder.ibm.com/infocenter/iseries/v5r4/topic//books/s5445319.pdf - Similar pages

[PDF] iSeries Guide to Output
File Format: PDF/Adobe Acrobat
a **first** level folder. **If created** in the **second** level or greater, the ...... scanned into the
Image Editor **component** of Infoprint Designer. Most **image** ...
publib.boulder.ibm.com/infocenter/iseries/v5r4/topic/books/s5445319.pdf - Similar pages

[PDF] iSeries Guide to Output
File Format: PDF/Adobe Acrobat
an **image**. The term dots per inch (DPI) is also used. **Pixel** ...... scanned into the **Image**
Editor **component** of Infoprint Designer. Most **image** ...
publib.boulder.ibm.com/infocenter/iseries/v5r3/topic/books/s5445319.pdf - Similar pages

Dictionary of Computer Terms
Graphics file (1 bit per **pixel** scanner output file) [34] **......** The design, 0, and integration of
components within a computer system, primarily determined **...**
computerdictionary.tsf.org.za/dictionary/terms/computerdictionary-all.html - <u>Similar pages</u>

1 <u>2</u> <u>3</u>   **<u>Next</u>**

Download <u>Google Pack</u>: free essential software for your PC

---

determining if an attribute of a secor   Search

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

©2007 Google - <u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

Google

| determining if an attribute of a second image p | Search | Advanced Search |
| | | Preferences |

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web Results **11 - 20** of about **21** for <u>determining</u> if <u>an</u> <u>attribute</u> of a <u>second</u> <u>image</u> <u>pixel</u> is <u>defined</u> by <u>one</u> of the <u>pixel cc</u>

1 broadly 2 **defined** 3 to 4 include
1 broadly 2 **defined** 3 to 4 include 5 physical 6 sciences 7 life 8 social 9 ...... 31165 prob
31166 **pixel** 31167 sarcalc 31168 multi-taper 31169 atnos 31170 ...
olc.ijs.si/dmozTxt/Matrices/WordList.txt - Similar pages

[PDF] U W '
File Format: PDF/Adobe Acrobat
The **first** two principal **components** were analyzed. 2D coronal projection **images** of **pixel**
correlations. were reduced to the sum of **pixel** blocks. ANOVA ...
www.washington.edu/research/urp/symp/downloads/proceedings2006.pdf - Similar pages

SPWLA - Schlumberger OSDD Report Output
Applies to pure **components**; for mixtures use Pseudocritical_Pressure. ...... **Images**
Computation Option Unitless IMAGE_CLIPPING_REGION Vector of **pixel** values ...
www.spwla.org/library_info/mnemonics/schlumparam.html - 883k - Cached - Similar pages

Update: 30-Dec-2005
Below T-1, the ferromagnetic **components** are confined to the ...... of symmetry operators
and averaging the density over the symmetry-related **pixels**. ...
www-xray.fzu.cz/sgip/publi/articles_all_but_this_year.html - Similar pages

£xÉ*Q**IÇ*Iä @@@ @@@@ ** Θ* ******M***eÅ*v*ù*e**I|**dö *Iê EN DB ...
File Format: Unrecognized
Remaining errors in terrain parameters such as undefined **pixels** and local outliers
were ...... Landsat TM data were used to identify **one** of the **components**, ...
www.itc.nl/personal/rossiter/refer/ss.enl - Similar pages

company_parameter_specification
Applies to pure **components**; for mixtures use Pseudocritical_Pressure. Pressure ......
Vector of **pixel** values indicating which portion of an input **image** is ...
w3.posc.org/pwls/company_data/company_parameter_specification.html - Similar pages

the to a in i of and is it that for this have on you be with not s ...
... identical edward deaths danger cops **components** zone shop recommended ......
pjc@jet.uk pj2 pj1 pixs pixeltools **pixels/second** pixelpaint **pixel**/pixmap ...
www.cs.berkeley.edu/~thibaux/Projects/AISTATS_07/dictionary.txt - 977k -
Cached - Similar pages

__PARAMS 114301 18604882 <tref> 143 kate 41 muir 407 s 190072 ...
... 3 disclosure 161 dti 19 culpable 8 auditor 10 **components** 326 cylinder 26 ......
imperatives 6 cass 6 rosser 1 brundle 14 **pixel** 9 5k 1 educates 1 cursors ...
www.titania.bham.ac.uk/freq_TOTAL.txt - Similar pages

.,mn 0 01 05_1 1 10 100 10th 11 11_d0003 12 13 14 141a 143b 15 16 ...
... comply complying compo **component** componential componentry **components** ......
pivoting pivots piw pix **pixel pixels** pixie pixieish pixilated pixilation ...
mit.edu/~mkgray/jik/src/Attic/kerberos_password_hacker/allwords - Similar pages

317502 the 184884 of 168196 and 140673 to 138851 a 112630 in 70155 ...
... below 1430 **components** 1427 auf 1426 proposed 1424 density 1424 according 71
pneumatic 71 planted 71 **pixel** 71 physically 71 phantom 71 organism 71 ...
aux.ciar.org/ttk/lemma.ttkciar.01.txt - Similar pages

Previous 1 **2** 3   **Next**

| determining if an attribute of a secor | Search |

Search within results | Language Tools | Search Tips

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

Google

determining if an attribute of a second image p   Search   Advanced Search
Preferences

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web Results **21 - 21** of **21** for <u>determining</u> **if** <u>an</u> <u>attribute</u> of a <u>second</u> <u>image</u> <u>pixel</u> **is** <u>defined</u> by <u>one</u> of the <u>pixel</u> <u>compon</u>

Light Within
All those who have **some** relations with literature written in Pakistan are very well ...
Second confine to humans is history -- the chronology of the past. ...
www.sajshirazi.blogspot.com/ - 96k - <u>Cached</u> - <u>Similar pages</u>

Previous 1 2 **3**

determining if an attribute of a secor   Search

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u>

©2007 Google - <u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

IEEE *Xplore*®
RELEASE 2.4

Welcome United States Patent and Trademark Office

□ Search Results   BROWSE   SEARCH   IEEE XPLORE GUIDE   SUPPOR

Results for "(second image<and>pixel components)<and>order and discarding"   ✉e-mail 🖨
Your search matched **2** of **1689216** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

New [Beta]
Application Notes
POWERED BY
SPEC

» Search Options

View Session History

New Search

» **Key**

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

(second image<and>pixel components)<and>order and discarding   Search >

☐ Check to search only within this results set

Display Format: ⊙ Citation   ○ Citation & Abstract

IEEE/IET	Books	Educational Courses	Application No

Books published by IEEE Press and IEEE Computer Society Press in partnership with John Wiley & S

┌ view selected items   **Select All Deselect All**

☐   1. **Novel real-time software-based video coding algorithms**
      Huang, H.-C.; Wu, J.-L.;
      Consumer Electronics, IEEE Transactions on
      Volume 39, Issue 3, Aug. 1993 Page(s):570 - 580
      Digital Object Identifier 10.1109/30.234637

      AbstractPlus | Full Text: PDF(828 KB)   IEEE JNL
      Rights and Permissions

☐   2. **Energy-efficient color approximation for digital LCD interfaces**
      Nourrachmat, A.; Salerno, S.; Macii, E.; Poncino, M.;
      Computer Design: VLSI in Computers and Processors, 2005. ICCD 2005. Proceedings. 200
      International Conference on
      2-5 Oct. 2005 Page(s):81 - 86
      Digital Object Identifier 10.1109/ICCD.2005.48

      AbstractPlus | Full Text: PDF(328 KB)   IEEE CNF
      Rights and Permissions

Help   Contact Us   Privacy & Secur

Indexed by
📖 Inspec®

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	15	("6212300" or "6067098" or "6002411" or "6931069" or "6559826" or "7136193" or "5806072" or "5359694" or "5801776" or "6573901" or "6333951" or "6151074" or "5543823" or "5193003" or "5809174").pn.	US-PGPUB; USPAT	OR	OFF	2007/11/19 12:39
L2	76012	pixel with display$4	US-PGPUB; USPAT	OR	OFF	2007/11/19 12:45
L3	4289	2 and (second adj image)	US-PGPUB; USPAT	OR	OFF	2007/11/19 12:40
L4	50	3 and (pixel adj component)	US-PGPUB; USPAT	OR	OFF	2007/11/19 12:40
L5	4	4 and (select$6 near stor$4)	US-PGPUB; USPAT	OR	OFF	2007/11/19 12:40
L6	3	5 and (discard$4 or remov$4 or eliminat$4)	US-PGPUB; USPAT	OR	OFF	2007/11/19 12:41
L7	13553	pixel with display$4	EPO; JPO	OR	OFF	2007/11/19 12:45
L8	8	7 and (pixel adj component)	EPO; JPO	OR	OFF	2007/11/19 12:45
L9	0	8 and (second adj image)	EPO; JPO	OR	OFF	2007/11/19 12:45
L10	53	7 and (second adj image)	EPO; JPO	OR	OFF	2007/11/19 12:46
L12	0	10 and (selectively adj stor$4)	EPO; JPO	OR	OFF	2007/11/19 12:46